Brain Research, 480 (1989) 408–410
Elsevier

Author Index

Adams, M.E., see Ashe, J.H., 234
Aebischer, P., see Valentini, R.F., 300
Albrecht, D., Rausche, G. and Heinemann, U., Reflections of low calcium epileptiform activity from area CA1 into dentate gyrus in the rat hippocampal slice, 393
Amir, S., Lagiorgia, M. and Pollock, R., Intra-ventromedial hypothalamic injection of insulin suppresses brown fat thermogenesis in the anaesthetized rat, 340
Antel, J.P., see Grenier, Y., 87
Arnold, A.P., see Brenowitz, E.A., 119
Arvidsson, J. and Raappana, P., An HRP study of the central projections from primary sensory neurons innervating the rat masseter muscle, 111
Ashe, J.H., Cox, C.L. and Adams, M.E., Argiotoxin-636 blocks excitatory synaptic transmission in rat hippocampal CA1 pyramidal neurons, 234

Bakalkin, G.Y. and Kobylyansky, A.G., Opioids induce postural asymmetry in spinal rat: the side of the flexed limb depends upon the type of opioid agonist, 277
Bakalkin, G.Y., Pivovarov, A.S., Kobylyansky, A.G., Nesterenko, P.N. and Yarygin, K.N., Lateralization of opioid receptors in turtle visual cortex, 268
Baranyi, A., see Woody, C.D., 72
Barraco, R.A. and Janusz, C.A., Respiratory effects of 5′-ethylcarboxamidoadenosine, an analog of adenosine, following microinjections into the nucleus tractus solitarius of rats, 360
Beinfeld, M.C., see Radke, J.M., 178
Berkley, K.J., see Blomqvist, A., 29
Berkley, K.J., see Ma, W., 37
Bissette, G., see Radke, J.M., 178
Blomqvist, A., Ma, W. and Berkley, K.J., Spinal input to the parabrachial nucleus in the cat, 29
Blomqvist, A., see Ma, W., 37
Bonanno, G., Fedele, E., Versace, P. and Raiteri, M., Functional damage of dopamine nerve terminals following intrastriatal kainic acid injection, 242
Bradley, R.M., see Sweazey, R.D., 133
Breese, G.R., see Sharif, N.A., 365
Brenowitz, E.A and Arnold, A.P., Accumulation of estrogen in a vocal control brain region of a duetting song bird, 119
Brismar, T. and Collins, V.P., Inward rectifying potassium channels in human malignant glioma cells, 249
Brismar, T. and Collins, V.P., Potassium and sodium channels in human malignant glioma cells, 259
Buchwald, N.A., see Walsh, J.P., 290
Burt, D.R., see Sharif, N.A., 365

Callahan, M.F., see Mitchell, L.D., 388
Casamenti, F., see Di Patre, P.L., 219
Cenni, A., see Di Patre, P.L., 219
Collins, V.P., see Brismar, T., 249
Collins, V.P., see Brismar, T., 259
Condés-Lara, M., see Hernández-R., J., 403
Cox, C.L., see Ashe, J.H., 234
Cunningham, J.T. and Johnson, A.K., Decreased norepinephrine in the ventral lamina terminalis region is associated with angiotensin II drinking response deficits following local 6-hydroxydopamine injections, 65

Dario, P., see Valentini, R.F., 300
De Jong, B.M., see Romijn, H.J., 58
De Toledo-Morrell, L., see Geinisman, Y., 326
Di Patre, P.L., Casamenti, F., Cenni, A. and Pepeu, G., Interaction between nerve growth factor and GM_1 monosialoganglioside in preventing cortical choline acetyltransferase and high affinity choline uptake decrease after lesion of the nucleus basalis, 219

Farrant, M. and Webster, R.A., Compartmental distribution of endogenous amino acids in the substantia nigra of the rat, 344
Fedele, E., see Bonanno, G., 242
Felder, R.B., see Feldman, P.D., 190
Feldman, P.D. and Felder, R.B., α_2-Adrenergic modulation of synaptic excitability in the rat nucleus tractus solitarius, 190
Fibiger, H.C., see Radke, J.M., 178
Finch, D.M., see Isokawa-Akesson, M., 92
Frederickson, C.J., Hernandez, M.D. and McGinty, J.F., Translocation of zinc may contribute to seizure-induced death of neurons, 317
Freed, W.J., see Poltorak, M., 349

Gardiner, T.W., see Oh, C., 184
Gean, P.-W. and Shinnick-Gallagher, P., The transient potassium current, the A-current, is involved in spike frequency adaptation in rat amygdala neurons, 160
Geinisman, Y., Morrell, F. and De Toledo-Morrell, L., Perforated synapses on double-headed dendritic spines: a possible structural substrate of synaptic plasticity, 326
Gentile, C.C., see Teich, A.H., 210
Gonzalo, L.M., see Pascual, J.I., 397
Grenier, Y., Ruijs, T.C.J., Olivier, A., Robitaille, Y. and Antel, J.P., DNA synthesis by young adult human-derived astrocytes in vitro, 87
Grimes, L., see Lee, P.H.K., 322
Gruber, K.A., see Mitchell, L.D., 388
Gruen, E., see Woody, C.D., 72

Han, J.-S., see Li, Y., 105
Heinemann, U., see Albrecht, D., 393
Hernandez, M.D., see Frederickson, C.J., 317
Hernández-R., J. and Condés-Lara, M., Serotonin-dependent (Na^+,K^+)ATPase in kindled rats: a study in various brain regions, 403
Holmes, W., see Woody, C.D., 72
Hong, J.S., see Lee, P.H.K., 322
Hughes, C.C.W. and Lantos, P.L., Uptake of leucine and alanine by cultured cerebral capillary endothelial cells, 126
Hull, C.D., see Walsh, J.P., 290
Hutchison, J.B., see Steimer, T., 335

Insausti, R., see Pascual, J.I., 397

Brain Research, 480 (1989) 408–410
Elsevier

Author Index

Adams, M.E., see Ashe, J.H., 234
Aebischer, P., see Valentini, R.F., 300
Albrecht, D., Rausche, G. and Heinemann, U., Reflections of low calcium epileptiform activity from area CA1 into dentate gyrus in the rat hippocampal slice, 393
Amir, S., Lagiorgia, M. and Pollock, R., Intra-ventromedial hypothalamic injection of insulin suppresses brown fat thermogenesis in the anaesthetized rat, 340
Antel, J.P., see Grenier, Y., 87
Arnold, A.P., see Brenowitz, E.A., 119
Arvidsson, J. and Raappana, P., An HRP study of the central projections from primary sensory neurons innervating the rat masseter muscle, 111
Ashe, J.H., Cox, C.L. and Adams, M.E., Argiotoxin-636 blocks excitatory synaptic transmission in rat hippocampal CA1 pyramidal neurons, 234

Bakalkin, G.Y. and Kobylyansky, A.G., Opioids induce postural asymmetry in spinal rat: the side of the flexed limb depends upon the type of opioid agonist, 277
Bakalkin, G.Y., Pivovarov, A.S., Kobylyansky, A.G., Nesterenko, P.N. and Yarygin, K.N., Lateralization of opioid receptors in turtle visual cortex, 268
Baranyi, A., see Woody, C.D., 72
Barraco, R.A. and Janusz, C.A., Respiratory effects of 5′-ethylcarboxamidoadenosine, an analog of adenosine, following microinjections into the nucleus tractus solitarius of rats, 360
Beinfeld, M.C., see Radke, J.M., 178
Berkley, K.J., see Blomqvist, A., 29
Berkley, K.J., see Ma, W., 37
Bissette, G., see Radke, J.M., 178
Blomqvist, A., Ma, W. and Berkley, K.J., Spinal input to the parabrachial nucleus in the cat, 29
Blomqvist, A., see Ma, W., 37
Bonanno, G., Fedele, E., Versace, P. and Raiteri, M., Functional damage of dopamine nerve terminals following intrastriatal kainic acid injection, 242
Bradley, R.M., see Sweazey, R.D., 133
Breese, G.R., see Sharif, N.A., 365
Brenowitz, E.A and Arnold, A.P., Accumulation of estrogen in a vocal control brain region of a duetting song bird, 119
Brismar, T. and Collins, V.P., Inward rectifying potassium channels in human malignant glioma cells, 249
Brismar, T. and Collins, V.P., Potassium and sodium channels in human malignant glioma cells, 259
Buchwald, N.A., see Walsh, J.P., 290
Burt, D.R., see Sharif, N.A., 365

Callahan, M.F., see Mitchell, L.D., 388
Casamenti, F., see Di Patre, P.L., 219
Cenni, A., see Di Patre, P.L., 219
Collins, V.P., see Brismar, T., 249
Collins, V.P., see Brismar, T., 259
Condés-Lara, M., see Hernández-R., J., 403
Cox, C.L., see Ashe, J.H., 234
Cunningham, J.T. and Johnson, A.K., Decreased norepinephrine in the ventral lamina terminalis region is associated with angiotensin II drinking response deficits following local 6-hydroxydopamine injections, 65

Dario, P., see Valentini, R.F., 300
De Jong, B.M., see Romijn, H.J., 58
De Toledo-Morrell, L., see Geinisman, Y., 326
Di Patre, P.L., Casamenti, F., Cenni, A. and Pepeu, G., Interaction between nerve growth factor and GM_1 monosialoganglioside in preventing cortical choline acetyltransferase and high affinity choline uptake decrease after lesion of the nucleus basalis, 219

Farrant, M. and Webster, R.A., Compartmental distribution of endogenous amino acids in the substantia nigra of the rat, 344
Fedele, E., see Bonanno, G., 242
Felder, R.B., see Feldman, P.D., 190
Feldman, P.D. and Felder, R.B., α_2-Adrenergic modulation of synaptic excitability in the rat nucleus tractus solitarius, 190
Fibiger, H.C., see Radke, J.M., 178
Finch, D.M., see Isokawa-Akesson, M., 92
Frederickson, C.J., Hernandez, M.D. and McGinty, J.F., Translocation of zinc may contribute to seizure-induced death of neurons, 317
Freed, W.J., see Poltorak, M., 349

Gardiner, T.W., see Oh, C., 184
Gean, P.-W. and Shinnick-Gallagher, P., The transient potassium current, the A-current, is involved in spike frequency adaptation in rat amygdala neurons, 160
Geinisman, Y., Morrell, F. and De Toledo-Morrell, L., Perforated synapses on double-headed dendritic spines: a possible structural substrate of synaptic plasticity, 326
Gentile, C.C., see Teich, A.H., 210
Gonzalo, L.M., see Pascual, J.I., 397
Grenier, Y., Ruijs, T.C.J., Olivier, A., Robitaille, Y. and Antel, J.P., DNA synthesis by young adult human-derived astrocytes in vitro, 87
Grimes, L., see Lee, P.H.K., 322
Gruber, K.A., see Mitchell, L.D., 388
Gruen, E., see Woody, C.D., 72

Han, J.-S., see Li, Y., 105
Heinemann, U., see Albrecht, D., 393
Hernandez, M.D., see Frederickson, C.J., 317
Hernández-R., J. and Condés-Lara, M., Serotonin-dependent (Na^+,K^+)ATPase in kindled rats: a study in various brain regions, 403
Holmes, W., see Woody, C.D., 72
Hong, J.S., see Lee, P.H.K., 322
Hughes, C.C.W. and Lantos, P.L., Uptake of leucine and alanine by cultured cerebral capillary endothelial cells, 126
Hull, C.D., see Walsh, J.P., 290
Hutchison, J.B., see Steimer, T., 335

Insausti, R., see Pascual, J.I., 397

Ishida, M., see Shinozaki, H., 355
Isokawa-Akesson, M. and Finch, D.M., Neurophysiological characterization of commissurally projecting dentate neurons in the rat, 92

Janusz, C.A., see Barraco, R.A., 360
Johnson, A.K., see Cunningham, J.T., 65
Johnson, A.K., see Mitchell, L.D., 388
Johnston, G.A.R., see Kerr, D.I.B., 312
Jolivet, A., see Warembourg, M., 1

Kerr, D.I.B., Ong, J., Johnston, G.A.R. and Prager, R.H., $GABA_B$-receptor-mediated actions of baclofen in rat isolated neocortical slice preparations: antagonism by phosphono-analogues of GABA, 312
Kobatake, M., see Nakamura, A., 82
Kobylyansky, A.G., see Bakalkin, G.Y., 268
Kobylyansky, A.G., see Bakalkin, G.Y., 277

Lagiorgia, M., see Amir, S., 340
Lantos, P.L., see Hughes, C.C.W., 126
Lee, P.H.K., Grimes, L. and Hong, J.S., Glucocorticoids potentiate kainic acid-induced seizures and wet dog shakes, 322
Levine, M.S., see Walsh, J.P., 290
Li, Y. and Han, J.-S., Cholecystokinin-octapeptide antagonizes morphine analgesia in periaqueductal gray of the rat, 105
Liskowsky, D.R., see Teich, A.H., 210

Ma, T.P., Identification of the substantia nigra pars lateralis in the macaque using cytochrome oxidase and fiber stains, 305
Ma, W., Blomqvist, A. and Berkley, K.J., Spino-diencephalic relays through the parabrachial nucleus in the cat, 37
Ma, W., see Blomqvist, A., 29
MacLennan, A.J., see Radke, J.M., 178
Marshall, J.F., see Pullara, J.M., 225
McCabe, P.M., see Teich, A.H., 210
McGinty, J.F., see Frederickson, C.J., 317
McLaughlin, P.J., see Zagon, I.S., 16
McMillian, M.K. and Talamo, B.R., Lack of desensitization to neurokinin A due to partial agonist property of this peptide at parotid substance P receptors, 330
Metherate, R. and Weinberger, N.M., Acetylcholine produces stimulus-specific receptive field alterations in cat auditory cortex, 372
Milgrom, E., see Warembourg, M., 1
Mitchell, L.D., Callahan, M.F., Wilkin, L.D., Gruber, K.A. and Johnson, A.K., Activation of supraoptic magnocellular neurons by gamma$_2$-melanocyte stimulating hormone (γ_2-MSH), 388
Morrell, F., see Geinisman, Y., 326
Moshé, S.L., see Sperber, E.F., 378
Mueller, R.A, see Sharif, N.A., 365
Murrin, L.C. and Zeng, W., Dopamine D_1 receptor development in the rat striatum: early localization in striosomes, 170

Nagaya, H., see Okada, R., 383
Nakamura, A., Sugao, T., Yamaue, K., Kobatake, M. and Shiomi, H., Involvement of spinal noradrenergic system in the mechanism of an antinociceptive effect of delta-sleep-inducing peptide (DSIP), 82
Negishi, N., see Okada, R., 383
Nemeroff, C.B., see Radke, J.M., 178
Nenov, V., see Woody, C.D., 72
Nesterenko, P.N., see Bakalkin, G.Y., 268

Oh, C., Gardiner, T.W. and Rebec, G.V., Blockade of both D_1- and D_2-dopamine receptors inhibits amphetamine-induced ascorbate release in the neostriatum, 184
Ohfune, Y., see Shinozaki, H., 355
Okada, R., Negishi, N. and Nagaya, H., The role of the nigrotegmental GABAergic pathway in the propagation of pentylenetetrazol-induced seizures, 383
Olivier, A., see Grenier, Y., 87
Ong, J., see Kerr, D.I.B., 312

Pascual, J.I., Insausti, R. and Gonzalo, L.M., The pelvic innervation in the rat: different spinal origin and projections in Sprague–Dawley and Wistar rats, 397
Pepeu, G., see Di Patre, P.L., 219
Pivovarov, A.S., see Bakalkin, G.Y., 268
Pollock, R., see Amir, S., 340
Poltorak, M. and Freed, W.J., Immunoreactive phosphorylated epitopes on neurofilaments in neuronal perikarya may be obscured by tissue preprocessing, 349
Prager, R.H., see Kerr, D.I.B., 312
Pullara, J.M. and Marshall, J.F., Striatal dopamine innervation and receptor density: regional effects of the weaver mutation, 225

Raappana, P., see Arvidsson, J., 111
Radke, J.M., MacLennan, A.J., Beinfeld, M.C., Bissette, G., Nemeroff, C.B., Vincent, S.R. and Fibiger, H.C., Effects of short- and long-term haloperidol administration and withdrawal on regional brain cholecystokinin and neurotensin concentrations in the rat, 178
Raiteri, M., see Bonanno, G., 242
Rausche, G., see Albrecht, D., 393
Rebec, G.V., see Oh, C., 184
Robitaille, Y., see Grenier, Y., 87
Romijn, H.J. and De Jong, B.M., Unlike hypoxia, hypoglycemia does not preferentially destroy GABAergic neurons in developing rat neocortex explants in culture, 58
Ruijs, T.C.J., see Grenier, Y., 87

Sabatini, A.M., see Valentini, R.F., 300
Schneiderman, L.S., see Teich, A.H., 210
Schneiderman, N., see Teich, A.H., 210
Segarra, A.C. and Strand, F.L., Perinatal administration of nicotine alters subsequent sexual behavior and testosterone levels of male rats, 151
Sharif, N.A., Towle, A.C., Burt, D.R., Mueller, R.A. and Breese, G.R., Cotransmitters: differential effects of serotonin (5-HT)-depleting drugs on levels of 5-HT and TRH and their receptors in rat brain and spinal cord, 365
Shimamoto, K., see Shinozaki, H., 355
Shinnick-Gallagher, P., see Gean, P.-W., 160
Shinozaki, H., Ishida, M., Shimamoto, K. and Ohfune, Y., A conformationally restricted analogue of L-glutamate, the (2*S*,3*R*,4*S*) isomer of L-α-(carboxycyclopropyl)glycine, activates the NMDA-type receptor more markedly than NMDA in the isolated rat spinal cord, 355
Shiomi, H., see Nakamura, A., 82
Silberberg, D.H., see Suzumura, A., 51
Sperber, E.F., Wurpel, J.N.D., Zhao, D.Y. and Moshé, S.L., Evidence for the involvement of nigral $GABA_A$ receptors in seizures of adult rats, 378
Stanfield, B.B., Excessive intra- and supragranular mossy fi-

bers in the dentate gyrus of tottering (*tg/tg*) mice, 294
Steimer, T. and Hutchison, J.B., Is the androgen-dependent increase in preoptic estradiol-17β formation due to aromatase induction?, 335
Strand, F.L., see Segarra, A.C., 151
Strecker, G.J., see Woody, C.D., 72
Sugao, T., see Nakamura, A., 82
Suzumura, A. and Silberberg, D.H., Lymphokines facilitate maturation of oligodendrocytes in vitro, 51
Sweazey, R.D. and Bradley, R.M., Responses of neurons in the lamb nucleus tractus solitarius to stimulation of the caudal oral cavity and epiglottis with different stimulus modalities, 133
Szente, M.B., see Woody, C.D., 72

Takatsuji, K. and Tohyama, M., The organization of the rat lateral geniculate body by immunohistochemical analysis of neuroactive substances, 198
Talamo, B.R., see McMillian, M.K., 330
Teich, A.H., McCabe, P.M., Gentile, C.C., Schneiderman, L.S., Winters, R.W., Liskowsky, D.R. and Schneiderman, N., Auditory cortex lesions prevent the extinction of Pavlovian differential heart rate conditioning to tonal stimuli in rabbits, 210
Tohyama, M., see Takatsuji, K., 198
Towle, A.C., see Sharif, N.A., 365

Valentini, R.F., Sabatini, A.M., Dario, P. and Aebischer, P., Polymer electret guidance channels enhance peripheral nerve regeneration in mice, 300
Versace, P., see Bonanno, G., 242
Vincent, S.R., see Radke, J.M., 178

Walsh, J.P., Hull, C.D., Levine, M.S. and Buchwald, N.A., Kynurenic acid antagonizes the excitatory postsynaptic potential elicited in neostriatal neurons in the in vitro slice of the rat, 290
Warembourg, M., Jolivet, A. and Milgrom, E., Immunohistochemical evidence of the presence of estrogen and progesterone receptors in the same neurons of the guinea pig hypothalamus and preoptic area, 1
Webster, R.A., see Farrant, M., 344
Weinberger, N.M., see Metherate, R., 372
Wilkin, L.D., see Mitchell, L.D., 388
Winters, R.W., see Teich, A.H., 210
Woody, C.D., Baranyi, A., Szente, M.B., Gruen, E., Holmes, W., Nenov, V. and Strecker, G.J., An aminopyridine-sensitive, early outward current recorded in vivo in neurons of the precruciate cortex of cats using single-electrode voltage-clamp techniques, 72
Wurpel, J.N.D., see Sperber, E.F., 378

Yamaue, K., see Nakamura, A., 82
Yarygin, K.N., see Bakalkin, G.Y., 268

Zagon, I.S. and McLaughlin, P.J., Opioid antagonist modulation of murine neuroblastoma: a profile of cell proliferation and opioid peptides and receptors, 16
Zeng, W., see Murrin, L.C., 170
Zhao, D.Y., see Sperber, E.F., 378